



# Stadium



## PRODUCT GUIDE

VENTILATION  
FLEXI TUBS & BUCKETS

GARDENING  
HARDWARE

PLUMBING & DRAINAGE  
PLASTERING & DECORATION

# STADIUM BUILDING PRODUCTS

## ABOUT US

Stadium Building Products are regarded as a market leading supplier for ventilation and building products. Stadium have been supplying many of the industry's top retailers with high quality, innovative products for over 100 years.

At Stadium Building Products we have a wealth of knowledge in designing and developing quality products with our in-house design team. With innovation being at the forefront of what we do, we are constantly adapting to meet the industry's needs. We offer a wide range of products, which is complimented by our customer service team who are always willing to help find the right solution for your needs.

We have the additional benefit of support from our global parent company, Flambeau Inc. Flambeau have over 70 years of experience in plastics manufacturing that we have leveraged in the UK market. We are able to offer a diverse range of products and services from tooling design for injection and blow moulded thermoplastic components to contract manufacturing of complete assemblies. Our vast warehouse and distribution facilities mean we are able to distribute globally and have enviable flexibility with our product ranges and design capabilities.

## HOW TO ORDER

Ordering is easy, whether you are a large scale or independent retailer. You have options to order via EDI or e-mail. Whichever way you choose, we aim to make ordering as easy as possible and our customer service team are always there to help should you need them.

You will need to have an account set up to place orders, which you can do by filling out a simple account form.

## DELIVERY

We know lead times are essential. Our standard delivery time is 3-5 days, but we also offer an express next day delivery service. We aim to accommodate our customers' needs wherever possible, all you have to do is ask.

## OUR CONTACT DETAILS

T: 01843 854002

E: [stadium@flambeau.com](mailto:stadium@flambeau.com)

W: [www.stadiumbuildingproducts.com](http://www.stadiumbuildingproducts.com)



**Flambeau**  
Est. 1947

The Neat Nursery Co.

**Stadium**

**Flambeau** INC.  
INDUSTRIAL & PACKAGING GROUP

**ArtBin**  
DESIGNED WITH THE ARTIST IN MIND

## Ventilation

- 3 Guide to Ventilation
- 4 'Black Hole' Ventilation
- 5-6 'Black Hole' Ventilator Kits
- 6-7 Core Drill Ventilator Kits
- 8 Airbrick Ventilator Kits
- 9 Trickle Ventilators
- 9 Cavity Liners & Extension Tubes
- 10 Hit & Miss Ventilators
- 10-13 Louvre Ventilators
- 13 Face Fitting Ventilators
- 14 Flush Fitting Ventilators
- 14-15 External Cowls
- 16 Airbricks
- 17 Through Floor Ventilators
- 17 Mini Ventilators
- 17 Soffit Ventilators
- 18-20 Ducting

## Rhino Flexi Tubs, Buckets & Bins

- 22 Rhino Flexi Tubs
- 23-24 Buckets
- 24 Galvanised Buckets
- 24 Tuff Tub
- 24 Dustbins

## Gardening

- 26 Rhino Water Butt
- 26 Rhino Easi-Can
- 26 Garden Hoses & Accessories

## Hardware

- 27 Toolboxes
- 27 Funnels
- 27 Luggage Elastics
- 27 Roofing Washers
- 28 Plumbing Mat
- 28-29 Storage Boxes

## Plastering & Decoration

- 30 Mixing Tray
- 30 Plasterers' Bucket & Baths
- 30-31 Plasterers' Accessories
- 31 Paint Kettles

## Plumbing & Drainage

- 32 Pipe Clips
- 32-33 Cistern Floats
- 33-34 Traps & Air Admittance Valves
- 34 Waste Pipes
- 34-35 Pan & Pipe Connectors
- 35 Plumbing Accessories
- 35 Flush Pipes
- 35-36 Gully Grids & Drain Cover
- 36 Balloon Guards
- 36 Drain Rods

## Index

- 37-38 Index by product code

## VENTILATION FOR COMBUSTION APPLIANCES

Stadium Ventilation is a name you can trust. Our products are specified and used by local authorities, housing associations and Corgi installers.

Providing the correct ventilation for combustion appliances is essential to ensure efficient operation and safe combustion. A combustion appliance is usually a gas, oil or solid fuel burning appliance such as a boiler, fire, stove, warm air heater or cooker (for cooking or heating).

These appliances not only burn fuel but use oxygen in air combustion. If sufficient fresh air is not provided then the unit will use the available oxygen from the air in the room. If the supply to the appliance is inadequate, the flue will fail to clear all of the combustion products and some will spill into the room itself. Ventilating rooms containing combustion appliances is essential and often additional ventilation is required.

Prior to installation, detailed advice should be sought from a registered installer.

This information is a guide only.  
Always refer to current Building Regulations.

## FREE AREA

Free area is achieved by measuring the smallest apertures of a vent or grille to calculate the air flow. For a louvre, the areas should be measured at right angles to the blades or vanes. For an air vent assembly, the free cross-sectional area of the most restrictive component in an assembly should be used to calculate the free area.

For more information refer to the Free Area Reference Chart on our website.

## OPEN FLUED & FLUELESS APPLIANCES

Ventilation for flueless appliances must be direct to the outside of the building. Ventilation for open flued appliances (which draw their combustion air from the room or space into which it is installed) should be direct to the outside of the building, but in certain circumstances may be vented from another room which in turn is vented to the outside. A vent supplying air to an open-flue appliance shall not draw from a room or internal space containing a bath or shower.

Any installation should be installed so that it receives sufficient air for the proper combustion of the fuel and is capable of normal operation without the combustion products becoming a health hazard.


## VENT COLOURS

\*Not all colours are available for all vents  
Subject to MOQ

Plastic vents\*



Metal vents\*



## ‘BLACK HOLE’ VENTILATION

‘Black Hole’ ventilation products provide the answer to the dangerous practice of ventilators being blocked off by occupiers who are trying to stop draughts. This is an important risk to safety. While this works to reduce draughts, the ventilator may not pass the required amount of air when the appliance is operating. It is important that a spillage test is carried out as specified by the British Standard and Corgi good practice.

### ‘BLACK HOLE’ BENEFITS

#### **Stops wind blasting in**

The air flow within the duct is slowed down by the change of direction and by the vortices formed, reducing draughts to a minimum.

#### **Stops light showing through**

The occupier cannot see through the ventilator.

#### **Stops light shining out**

Night flying insects like moths, crane flies and mosquitoes are not attracted in.

#### **Absorbs outside noise**

Reduces the penetration of traffic noise. The internal construction works as a sound baffle.

#### **Practical**

Allows air to be pulled through by the appliance when it is operating.

#### **Safe**

With draught and light annoyance problems eliminated, the occupier will not be tempted to block off the vent.

## THE ‘BLACK HOLE’ MAGIC EXPLAINED

As outside wind pressure increases, a normal ventilator lets a lot of air through, causing draughts.

Inside the Stadium ‘Black Hole’ ventilator, vortices are formed behind the internal blades as the incoming air is forced to change direction. The gap that the air is able to pass through narrows. As wind pressure increases, the vortices grow. The total air flow is reduced and it finally tumbles and slows to a trickle, which cuts down annoying draughts.


However, when a heating appliance is operating, air is drawn through the vent and actually speeds up within the constricted air flow between the vortices. This maintains the correct amount of air in the room or compartment to allow the fuel to burn efficiently and flue gases to escape.

When the appliance is not working, incoming air is reduced to a minimum, even when wind levels are high. The actual physical difference is that of the air blown or drawn. The energy of the blown air (wind) is quickly dissipated by the restriction of the internal shape and the vortices, while drawn air will flow smoothly around the vortices.



## BLACK HOLE VENTILATION KITS


If a longer tube length is required, extension tube BM810 can be purchased.



### Core Drill 'Black Hole' Vario Ventilator

Flush fitting internal grille.


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM418/B	1	Cowl: 180 x 155 Grille: 155 x 155 Tube: 127 dia. 350 length	70 with baffle 100 without	21 with baffle 27 without	<ul style="list-style-type: none"> <li><span style="color: brown;">■</span> Brown cowl</li> <li><span style="color: white;">■</span> White internal</li> </ul>
BM418/W	1	As above	70 with baffle 100 without	21 with baffle 27 without	<ul style="list-style-type: none"> <li><span style="color: white;">■</span> White cowl</li> <li><span style="color: white;">■</span> White internal</li> </ul>
BM418/T	1	As above	70 with baffle 100 without	21 with baffle 27 without	<ul style="list-style-type: none"> <li><span style="color: orange;">■</span> Terracotta cowl</li> <li><span style="color: white;">■</span> White internal</li> </ul>



### Core Drill 'Black Hole' Ventilator & Extension

Fixed anti-draught baffle.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM725/B	1	Cowl: 180 x 155 Grille: 155 x 155 Tube: 127 dia. 228 length 585 extension	30	13	<ul style="list-style-type: none"> <li><span style="color: brown;">■</span> Brown cowl</li> <li><span style="color: white;">■</span> White internal</li> </ul>
BM725/W	1	As above	30	13	<ul style="list-style-type: none"> <li><span style="color: white;">■</span> White cowl</li> <li><span style="color: white;">■</span> White internal</li> </ul>
BM725/T	1	As above	30	13	<ul style="list-style-type: none"> <li><span style="color: orange;">■</span> Terracotta cowl</li> <li><span style="color: white;">■</span> White internal</li> </ul>



### Core Drill 'Black Hole' Vario Ventilator for High Rise Buildings

Anti-draught baffle.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM418/HR/B	1	Cowl: 127 dia. Grille: 155 x 155 Tube: 127 dia. 350 length	70 with baffle 100 without	21 with baffle 27 without	<ul style="list-style-type: none"> <li><span style="color: brown;">■</span> Brown external</li> <li><span style="color: white;">■</span> White internal</li> </ul>
BM418/HR/W	1	As above	70 with baffle 100 without	21 with baffle 27 without	<ul style="list-style-type: none"> <li><span style="color: white;">■</span> White external</li> <li><span style="color: white;">■</span> White internal</li> </ul>



### Anti-Draught 'Black Hole' Vario Ventilator with Cowl

Double brick size.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM700/R	1	Cowl: 288 x 210 Grille: 270 x 195 Liner: length expands from 230 - 375	100	27	<ul style="list-style-type: none"> <li><span style="color: brown;">■</span> Rustic red cowl</li> <li><span style="color: white;">■</span> White internal</li> </ul>
BM700/S	1	As above	100	27	<ul style="list-style-type: none"> <li><span style="color: yellow;">■</span> Sand cowl</li> <li><span style="color: white;">■</span> White internal</li> </ul>
BM700/B	1	As above	100	27	<ul style="list-style-type: none"> <li><span style="color: brown;">■</span> Brown cowl</li> <li><span style="color: white;">■</span> White internal</li> </ul>


### Anti-Draught 'Black Hole' Vario Ventilator with Airbrick



Double flush fit airbrick.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM701/T	1	Airbrick: 216 x 152 Grille: 270 x 195 Liner: length expands from 230 - 375	100	27	<ul style="list-style-type: none"> <li><span style="color: #C8513E;">■</span> Terracotta airbrick</li> <li><span style="color: #FFFFFF;">■</span> White internal</li> </ul>
BM701/R	1	As above	100	27	<ul style="list-style-type: none"> <li><span style="color: #8B4513;">■</span> Rustic red airbrick</li> <li><span style="color: #FFFFFF;">■</span> White internal</li> </ul>
BM701/S	1	As above	100	27	<ul style="list-style-type: none"> <li><span style="color: #D4AF37;">■</span> Sand airbrick</li> <li><span style="color: #FFFFFF;">■</span> White internal</li> </ul>
BM701/B	1	As above	100	27	<ul style="list-style-type: none"> <li><span style="color: #654321;">■</span> Brown airbrick</li> <li><span style="color: #FFFFFF;">■</span> White internal</li> </ul>

### Anti-Draught 'Black Hole' Ventilator



Expands to fit solid or cavity walls.  
Invertible for high or low fitting.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM720/T	1	Airbrick: 216 x 152 Grille: 290 x 200 Liner: length expands from 230 - 375	70	21	<ul style="list-style-type: none"> <li><span style="color: #C8513E;">■</span> Terracotta airbrick</li> <li><span style="color: #FFFFFF;">■</span> White internal</li> </ul>
BM720/R	1	As above	70	21	<ul style="list-style-type: none"> <li><span style="color: #8B4513;">■</span> Rustic red airbrick</li> <li><span style="color: #FFFFFF;">■</span> White internal</li> </ul>
BM720/S	1	As above	70	21	<ul style="list-style-type: none"> <li><span style="color: #D4AF37;">■</span> Sand airbrick</li> <li><span style="color: #FFFFFF;">■</span> White internal</li> </ul>

## CORE DRILL KITS

If a longer tube length is required, extension tube BM810 or BM801 can be purchased.  
Suitability of extension tube is dependent on tube diameter.

### 82mm (3¼") Core Drill Ventilator for High Rise Buildings



Complete with alternative external grille for use in high rise situations.


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM401/W	1	External grille: 100 dia. Internal grille: 100 dia. Tube: 82 dia. 350 length	34	13.8	<ul style="list-style-type: none"> <li><span style="color: #FFFFFF;">■</span> White external</li> <li><span style="color: #FFFFFF;">■</span> White internal</li> </ul>

### 100mm (4") Core Drill Ventilator



Telescopic movement.  
Louvred grille.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM417/W	1	130 overall dia. Tube: 100 dia. Length expands from 100 - 195	35	14.2	<ul style="list-style-type: none"> <li><span style="color: #FFFFFF;">■</span> White external</li> <li><span style="color: #FFFFFF;">■</span> White internal</li> </ul>



## 82mm (3/4") Core Drill Ventilator


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM414/B	1	External grille: 241 x 89 Internal grille: 241 x 89 Tube: 82 dia. 350 length	Not suitable for gas appliances	Not suitable for gas appliances	■ Brown external ■ White internal
BM414/W	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	■ White external ■ Brown internal



## 127mm (5") Core Drill Ventilator with Anti-Draught Cowl

Flush fitting internal grille.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM415/CA/B	1	Cowl: 180 x 155 Grille: 160 dia. Tube: 127 dia. 350 length	65	20	■ Brown cowl ■ White internal
BM415/CA/W	1	As above	65	20	■ White cowl ■ White internal



## 127mm (5") Core Drill Ventilator

Flush fitting internal grille.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM415/B	1	External grille: 160 dia. Internal grille: 160 dia. Tube: 127 dia. 350 length	65	20	■ Brown external ■ White internal
BM415/W	1	As above	65	20	■ White external ■ White internal



## 127mm (5") Core Drill Ventilator


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM416	1	External grille: 260 x 184 Internal grille: 260 x 184 Tube: 127 dia. 610 length	100	27	■ Brown external ■ Brass internal



## 152mm (6") Core Drill Ventilator

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM436	1	External grille: 265 x 265 Internal grille: 265 x 265 Tube: 152 dia. 610 length	161	39.2	■ Brown external ■ White internal




**AIRBRICK KITS**
**Single Brick Set**



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM430/BB	1	Airbrick: 216 x 76 Grille: 241 x 89 Liner: length expands from 250 - 343	40	15	<ul style="list-style-type: none"> <li>■ Blue/black external</li> <li>■ White internal</li> </ul>
BM430/T	1	As above	40	15	<ul style="list-style-type: none"> <li>■ Terracotta external</li> <li>■ White internal</li> </ul>
BM430/S	1	As above	40	15	<ul style="list-style-type: none"> <li>■ Sand external</li> <li>■ White internal</li> </ul>
BM430/B	1	As above	40	15	<ul style="list-style-type: none"> <li>■ Brown external</li> <li>■ White internal</li> </ul>

**Single Brick Refurbishment Vent With Air Blast Cowl**

May be cut to fit 216mm (9") solid walls.



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM432/R	1	Cowl: 216 x 76 Grille: 274 x 198 Liner: 350 length	100	27	<ul style="list-style-type: none"> <li>■ Rustic red cowl</li> <li>■ White internal</li> </ul>
BM432/B	1	As above	100	27	<ul style="list-style-type: none"> <li>■ Brown cowl</li> <li>■ White internal</li> </ul>


**Double Brick Set with Airbrick**


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM420T/T	1	Airbrick: 216 x 152 Grille: 273 x 197 Liner: length expands from 230 - 343	129	32.8	<ul style="list-style-type: none"> <li>☐ No cowl</li> <li>■ Terracotta airbrick</li> <li>■ White internal</li> </ul>
BM420T/B	1	As above	129	32.8	<ul style="list-style-type: none"> <li>■ Brown cowl</li> <li>■ Terracotta airbrick</li> <li>■ White internal</li> </ul>
BM420/1/T/T	1	As above	129	32.8	<ul style="list-style-type: none"> <li>■ Terracotta cowl</li> <li>■ Terracotta airbrick</li> <li>■ White internal</li> </ul>

**Double Brick Set with Cowl**


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM444/B	1	Cowl: 260 x 160 Grille: 273 x 197 Liner: Length expands from 230 - 343	142	35	<ul style="list-style-type: none"> <li>■ Brown cowl</li> <li>■ White internal</li> </ul>
BM444/T	1	As above	142	35	<ul style="list-style-type: none"> <li>■ Terracotta cowl</li> <li>■ White internal</li> </ul>

## TRICKLE VENTILATORS




### Trickle Background Ventilator

Hit & miss control on interior grille.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM411/W	1	Exterior grille: 241 x 89 Interior grille: 241 x 89 Tube: 82 dia. 350 length	Not suitable for gas appliances	Not suitable for gas appliances	■ Brown external ■ White internal
BM411/BR	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	■ Brown external ■ Brass internal

## CAVITY LINERS & EXTENSION TUBES




### Rigid Long Extension Tube

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM810	1	127 dia. 1000 length	Determined by grille	Determined by grille	■ Black
BM801	1	152 dia. 610 length	Determined by grille	Determined by grille	■ Black



### Extension Tube for use with BM417

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM811/W	1	100 dia. 350 length	Determined by grille	Determined by grille	■ White




### Single Brick Cavity Liner

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM433	10	216 x 76 220 length	Determined by grille	Determined by grille	■ Black



### Double Brick Telescopic Cavity Liner

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM84	10	216 x 152 Length expands from 195 - 295	Determined by grille	Determined by grille	■ Black

**HIT & MISS VENTILATORS**
**Hit & Miss Ventilator with Fly Screen**


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM473	10	241 x 89	Not suitable for gas appliances	Not suitable for gas appliances	White
BM476	10	241 x 165	Not suitable for gas appliances	Not suitable for gas appliances	White
BM479	10	241 x 241	Not suitable for gas appliances	Not suitable for gas appliances	White

**Brass Hit & Miss Ventilator**


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM331	1	241 x 89	Not suitable for gas appliances	Not suitable for gas appliances	Brass, polished & lacquered
BM332	1	241 x 165	Not suitable for gas appliances	Not suitable for gas appliances	Brass, polished & lacquered
BM333	1	241 x 241	Not suitable for gas appliances	Not suitable for gas appliances	Brass, polished & lacquered

**Aluminium Hit & Miss Ventilator**


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM351	25	241 x 89	Not suitable for gas appliances	Not suitable for gas appliances	Aluminium
BM352	25	241 x 165	Not suitable for gas appliances	Not suitable for gas appliances	Aluminium
BM353	25	241 x 241	Not suitable for gas appliances	Not suitable for gas appliances	Aluminium

**LOUVRE VENTILATORS**
**Internal Grille Assembly**

Universal for circular and rectangular ducting.



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM421/W	5	155 x 155 127 dia. spigot	100	27	White

**Louvre Ventilator**


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM463	10	241 x 89	40	15	White
BM466	10	241 x 165	80	23	White
BM469	10	241 x 241	100	27	White

## Louvre Ventilator with Fly Screen



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM463/F	10	241 x 89	Not suitable for gas appliances	Not suitable for gas appliances	White
BM466/F	10	241 x 165	Not suitable for gas appliances	Not suitable for gas appliances	White
BM469/F	10	241 x 241	Not suitable for gas appliances	Not suitable for gas appliances	White

## Face-Fitting Fixed Louvre Grille with Large Flange



Fits onto BM84 Cavity Liner.  
Can be plastered in.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM72/1	10	274 x 198	142	35.4	White
BM72/2/F	10	274 x 198	Not suitable for gas appliances	Not suitable for gas appliances	White

## Face-Fitting Fixed Louvre Grille with Large Flange & Tear Off Strips



Fits onto BM84 Cavity Liner.  
Can be plastered in.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM72/TO	10	274 x 198	142	35.4	White

## Innovator Round Louvre Ventilator

For external and internal use.  
Use without fly screen for gas appliance ventilation.



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM885/W	1	165 dia. To fit 100, 125, 150 and 165 dia.	115 for 125mm dia.	30	White
BM885/B	1	165 dia. To fit 100, 125, 150 and 165 dia.	115 for 125mm dia.	30	Brown
BM885/BK	1	165 dia. To fit 100, 125, 150 and 165 dia.	115 for 125mm dia.	30	Black

## Anodised Aluminium Louvre Ventilator



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM370	10	680 x 70	85	24	Aluminium



### Metal Louvre Ventilator


To fit rigid or flexible tubes 127mm dia.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM339/B	1	260 x 184	100	27	■ Brown



### Aluminium Louvre Ventilator

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM361	25	241 x 89	29	12.8	■ Aluminium
BM362	25	241 x 165	59	18.8	■ Aluminium
BM363	25	241 x 241	88	24.6	■ Aluminium
BM364	10	305 x 241	180	43	■ Aluminium
BM365	10	305 x 305	257	58.4	■ Aluminium



### Brass Louvre Ventilator

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM341	1	241 x 89	29	12.8	■ Brass, polished & lacquered
BM342	1	241 x 165	59	18.8	■ Brass, polished & lacquered
BM343	1	241 x 241	88	24.6	■ Brass, polished & lacquered
BM344	1	305 x 241	180	43	■ Brass, polished & lacquered
BM346	5	610 x 76	51	17	■ Brass, polished & lacquered



### Gravity Flap Terminal Vent

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM449/B	1	155 x 155 100 dia. spigot	Not suitable for gas appliances	Not suitable for gas appliances	■ Brown
BM449/W	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	■ White
BM449/BK	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	■ Black

## Louvre Terminal Vent

Universal for circular & rectangular ducting.



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM450/B	1	155 x 155 100 dia. spigot	38	14.6	■ Brown
BM450/W	1	155 x 155 100 dia. spigot	38	14.6	■ White
BM450/BK	1	155 x 155 100 dia. spigot	38	14.6	■ Black
BM450/F/B (with fly screen)	1	155 x 155 100 dia. spigot	Not suitable for gas appliances	Not suitable for gas appliances	■ Brown
BM450/F/W (with fly screen)	1	155 x 155 100 dia. spigot	Not suitable for gas appliances	Not suitable for gas appliances	■ White
BM450/F/BK (with fly screen)	1	155 x 155 100 dia. spigot	Not suitable for gas appliances	Not suitable for gas appliances	■ Black

## FACE FITTING VENTILATORS

### Face Fitting Ventilator



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM461/W	10	298 x 290	270	61	■ White powder coat

### Face Fitting Fixed Louvre Grille



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM73	25	274 x 198	100	27	■ White

### Compartment / Exterior Face Fitting Ventilator



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM367	1	410 x 240	316	70.2	■ Aluminium
BM367/W	1	410 x 240	316	70.2	■ White powder coat
BM368	1	410 x 330	445	96	■ Aluminium
BM368/W	1	410 x 330	445	96	■ White powder coat
BM369	1	410 x 500	693	145.6	■ Aluminium
BM369/W	1	410 x 500	693	145.6	■ White powder coat

**FLUSH FITTING VENTILATORS**

For BM460/B, BM460/W &amp; BM462/W 1 pack contains 1 pair of vents.


**Flush Fitting Ventilator**

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM460/B	1 pair	370 x 130	144	35.8	■ Brown
BM460/W	1 pair	370 x 130	144	35.8	■ White


**Flush Fitting Ventilator**

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM462/W	1 pair	370 x 231	306	68.2	■ White

**EXTERNAL COWLS**

**Large Cowl**

Fits over double brick ventilator.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM447/R	5	225 x 150	142	35.4	■ Rustic red
BM447/S	5	225 x 150	142	35.4	■ Sand
BM447/B	5	225 x 150	142	35.4	■ Brown


**Large Cowl with Grille in Base**

Fits over three air bricks.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM424/B	1	300 x 300	193	45.6	■ Brown
BM424/W	1	300 x 300	193	45.6	■ White


**Outer Cowl**

 As used in the BM418/HR.  
Can be installed from inside the building.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM419/HR/B	5	127 dia. spigot	100	27	■ Brown
BM419/HR/W	5	127 dia. spigot	100	27	■ White



## Standard Double Brick Cowl

Fits over airbricks up to 230 x 150mm.  
Fits over other ventilators when lip is removed.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM422/B	5	260 x 160	100	27	■ Brown
BM422/T	5	260 x 160	100	27	■ Terracotta



## Cross-Over Cowl

Will fit over airbricks up to 230 x 150mm.  
Will fit over BM415, BM416 and BM417 ventilators.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM429/B	5	300 x 230 x 40 Only protrudes 40mm from wall	132	33.4	■ Brown powder coated aluminium



## Single Brick Cowl

Fits single airbrick size 216 x 76mm.  
Fits rectangular duct.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM432/C/R	1	216 x 76	100	27	■ Rustic red
BM432/C/B	1	216 x 76	100	27	■ Brown



## External Cowl Assembly

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM419/B	5	180 x 155 127 dia. spigot	100	27	■ Brown
BM419/W	5	180 x 155 127 dia. spigot	100	27	■ White
BM419/T	5	180 x 155 127 dia. spigot	100	27	■ Terracotta



## Cowled Terminal Vent

Universal for circular and rectangular ducting.  
With backdraught flap.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM457/B	1	155 x 155 100 dia. spigot	Not suitable for gas appliances	Not suitable for gas appliances	■ Brown
BM457/W	1	155 x 155 100 dia. spigot	Not suitable for gas appliances	Not suitable for gas appliances	■ White



**AIR BRICKS**
**Multi-Fit Brick**


Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM481/T	50	216 x 76	72	21.4	■ Terracotta

**Louvre Airbrick - Single**


Fits into BM433 liner.  
Fits both metric and imperial brickwork.  
Lightweight but tough, ribbed for mortar key, rough cast finish.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM483/BB	10	216 x 76	46	16.2	■ Blue/black
BM483/T	10	216 x 76	46	16.2	■ Terracotta
BM483/S	10	216 x 76	46	16.2	■ Sand
BM483/B	10	216 x 76	46	16.2	■ Brown

**Louvre Airbrick - Double**


Fits into BM84 liner.  
Fits both metric and imperial brickwork.  
Lightweight but tough, ribbed for mortar key, rough cast finish.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM486/BB	10	216 x 152	125	32	■ Blue/black
BM486/T	10	216 x 152	125	32	■ Terracotta
BM486/R	10	216 x 152	125	32	■ Rustic red
BM486/S	10	216 x 152	125	32	■ Sand
BM486/B	10	216 x 152	125	32	■ Brown

**Square Hole Airbrick**


Fits both metric and imperial brickwork.  
Lightweight but tough, ribbed for mortar key, rough cast finish.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM487/B	10	216 x 152	66	20.2	■ Brown

**Weep Ventilator**


Internal insect and water barrier.

Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM413/G	25	104 x 65 x 10	Not applicable	Not applicable	■ Grey
BM413/S	25	104 x 65 x 10	Not applicable	Not applicable	■ Sand
BM413/T	25	104 x 65 x 10	Not applicable	Not applicable	■ Terracotta
BM413/B	25	104 x 65 x 10	Not applicable	Not applicable	■ Brown

## THROUGH FLOOR VENTILATORS

### Lacquered Brass Through Floor Ventilator



Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM435	1	280 x 108 Hole size 213 x 76	100	27	<span style="color: #D4AF37;">■</span> Brass <span style="color: #000000;">■</span> Black duct box
BM435/C	1	280 x 108 Hole size 213 x 76	100	27	<span style="color: #A9A9A9;">■</span> Chrome <span style="color: #000000;">■</span> Black duct box

## MINI VENTILATORS

### Mini Round Ventilator




Product Code	Pack Size	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM409/W	100	31 dia. Fits 28mm hole	2	7.4	<span style="color: #FFFFFF;">■</span> White

## SOFFIT VENTILATORS

### Soffit Ventilator

Centres for roof pitches over 15 degrees.




Product Code	Carton Qty	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM406/B	20	88 outer dia. 76 dia. spigot	25	12	<span style="color: #8B4513;">■</span> Brown
BM406/W	20	88 outer dia. 76 dia. spigot	25	12	<span style="color: #FFFFFF;">■</span> White

### Soffit Ventilator

Centres for roof pitches over 15 degrees.  
Overlapping double 76mm (3") holes.



Product Code	Carton Qty	Dimensions (mm)	Free Area (cm <sup>2</sup> )	Rated Input (kW max.)	Colour/Finish
BM407/B	20	145 x 85 76 dia. spigot x 2	45.6	16.1	<span style="color: #8B4513;">■</span> Brown
BM407/W	20	145 x 85 76 dia. spigot x 2	45.6	16.1	<span style="color: #FFFFFF;">■</span> White

**DUCTING**

**Tumble Dryer Universal Ducting Kit**

For through wall clearance use 107mm core drill.

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM830	1 set Consists of: - Terminal flap vent - Back plate - Flexible ducting - Screw pack	Ducting: 100 dia. 100 - 1200 length	<input type="checkbox"/> White components


**Tumble Dryer Universal Ducting Kit**

Adaptable for through wall or window.

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM832	1 set Consists of: - Circular baffled vent - Rigid through wall tube - Wall plate/window adaptor ring with rubber seal - Flexible ducting with spigot - Wall plugs & screws	Ducting: 100 dia. 100 length Rigid tube: 115 dia. 350 length	<input type="checkbox"/> White plastic vent & ducting <input checked="" type="checkbox"/> Black rigid tube


**Cooker Hood Universal Ducting Kit**

Baffled wall vent.

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM841	1 set Consists of: - Baffled wall vent - 2 flat channels - 1 connector - 1 wall plate - 190 flat bend - Flexible flame retardant duct - Round connectors (x2) - Round to rectangular adaptor - Screw pack	Ducting: 100 dia. 1000 length Channels: 1000 length	<input type="checkbox"/> White components


## Flexible Ducting

PVC sheathed wirecoil.  
Self extinguishing & flame retardant.  
For tumble dryers & extractor fans.  
Suitable for loft spaces / above unit installations.



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM809	1	125 dia. 3000 length	■ White
BM991	1	100 dia. 1000 length	■ White
BM992	1	100 dia. 2000 length	■ White
BM993	1	100 dia. 3000 length	■ White
BM813	1	100 dia. 15000 length	■ White
BM814	1	100 dia. 45000 length	■ White

## Rigid Long Extension Tube



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM810	1	125 dia. 1000 length	■ Black
BM801	1	152 dia. 610 length	■ Black


## Rigid Tube

Extension tube fits Terminal Grilles BM450 & BM449.



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM811/W	1	100 dia. 350 length	■ White

## Deep Flat Ducting



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM972/W	1	100 x 55 1500 length	■ White

## Rectangular / Round Adaptor



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM973/W	1	100 x 55 100 dia. spigot	■ White

### Horizontal 90 Degree Bend



<b>Product Code</b> BM974/W	<b>Pack Size</b> 1	<b>Dimensions (mm)</b> 100 x 55	<b>Colour/Finish</b> ■ White
--------------------------------	-----------------------	------------------------------------	---------------------------------

### Flat / Rectangular Connector



<b>Product Code</b> BM976/W	<b>Pack Size</b> 1	<b>Dimensions (mm)</b> 100 x 55	<b>Colour/Finish</b> ■ White
--------------------------------	-----------------------	------------------------------------	---------------------------------

### Vertical 90 Degree Bend



<b>Product Code</b> BM978/W	<b>Pack Size</b> 1	<b>Dimensions (mm)</b> 100 x 55	<b>Colour/Finish</b> ■ White
--------------------------------	-----------------------	------------------------------------	---------------------------------

### Hose Connector Bend



<b>Product Code</b> BM979/W	<b>Pack Size</b> 1	<b>Dimensions (mm)</b> 100 x 55 100 dia. spigot	<b>Colour/Finish</b> ■ White
--------------------------------	-----------------------	---	---------------------------------

# RHINO FLEXI TUBS, BUCKETS & BINS



## FLEXI TUB STAND PACK

The original, the best & made in the UK. 1,000s of uses!



**FREE STAND  
INCLUDED**

**Includes:**

- 20 x 12L Flexi Tub
- 20 x 26L Flexi Tub
- 20 x 40L Flexi Tub
- 20 x 75L Flexi Tub
- 20 x 14L BB6 Builders' Buckets
- 1 x Display Stand

Code = BM1/Y





# RHINO FLEXI TUBS, BUCKETS & BINS

- Strongest tub on the market - BBA tested to 360kg
- Rib structure for optimal strength and performance
- Ergonomically designed handles
- Made from flexible LDPE - great for fitting into tight spaces
- Non toxic
- Frost resistant

## Flexi Tub

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/ Finish
<b>12L</b>						
BM5/12	10	12	190	290	350	■ Black
BM5/12/G	10	12	190	290	350	■ Dark green
BM5/12/LB	10	12	190	290	350	■ Light blue
BM5/12/PK	10	12	190	290	350	■ Pink
BM5/12/P	10	12	190	290	350	■ Purple
BM5/12/R	10	12	190	290	350	■ Red
BM5/12/Y	10	12	190	290	350	■ Yellow
<b>26L</b>						
BM5/26	10	26	320	290	390	■ Black
BM5/26/G	10	26	320	290	390	■ Dark green
BM5/26/LB	10	26	320	290	390	■ Light blue
BM5/26/PK	10	26	320	290	390	■ Pink
BM5/26/P	10	26	320	290	390	■ Purple
BM5/26/R	10	26	320	290	390	■ Red
BM5/26/Y	10	26	320	290	390	■ Yellow
<b>40L</b>						
BM5/40	10	40	350	360	460	■ Black
BM5/40/G	10	40	350	360	460	■ Dark green
BM5/40/LB	10	40	350	360	460	■ Light blue
BM5/40/PK	10	40	350	360	460	■ Pink
BM5/40/P	10	40	350	360	460	■ Purple
BM5/40/R	10	40	350	360	460	■ Red
BM5/40/Y	10	40	350	360	460	■ Yellow
<b>75L</b>						
BM5/75	5	75	380	460	580	■ Black
BM5/75/G	5	75	380	460	580	■ Dark green
BM5/75/LB	5	75	380	460	580	■ Light blue
BM/75/R	5	75	380	460	580	■ Red
BM/75/Y	5	75	380	460	580	■ Yellow

Other colours available upon request, subject to MOQ.

# RHINO FLEXI TUBS, BUCKETS & BINS



## Everyday Bucket

Light duty bucket.

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/Finish
BB2	10	14	260	240	350	■ Black



## General Trade Bucket

Medium duty bucket.

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/Finish
BB3/G	10	14	265	235	330	■ Green
BB3/LB	10	14	265	235	330	■ Light blue
BB3/PK	10	14	265	235	330	■ Pink
BB3/P	10	14	265	235	330	■ Purple
BB3/R	10	14	265	235	330	■ Red
BB3/Y	10	14	265	235	330	■ Yellow



## Pour & Scoop Bucket

Wide flat back for easy scooping.  
Slope feature for accurate pouring.  
Finger recess for improved handling.

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/Finish
BB4	10	14	259	259	355	■ Black



## Professional Bucket

Heavy duty bucket.

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/Finish
BB5	10	14	280	240	340	■ Grey



## Industrial Bucket

Heavy duty bucket.  
Made from strong, easy-clean, impact-modified material.

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/Finish
BB6	10	14	290	225	340	■ Yellow



## 5L Flexible Bucket

Made from flexible LDPE.  
Non-stick and easy to clean.  
Can be used as a calf bucket.

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/Finish
BM7/B	10	5	215	185	240	■ Blue
BM7/G	10	5	215	185	240	■ Dark green
BM7/R	10	5	215	185	240	■ Red





# RHINO FLEXI TUBS, BUCKETS & BINS

## Shallow Bucket

Can be used as a mixing & feed bucket.



Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/ Finish
BM8	10	15	190	300	395	■ Black
BM8/G	10	15	190	300	395	■ Green
BM8/LB	10	15	190	300	395	■ Light blue
BM8/PK	10	15	190	300	395	■ Pink
BM8/P	10	15	190	300	395	■ Purple
BM8/R	10	15	190	300	395	■ Red
BM8/Y	10	15	190	300	395	■ Yellow

## Premium 10L Bucket



Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/ Finish
BM10/B	10	9.3	260	210	255	■ Black
BM10/G	10	9.3	260	210	255	■ Dark green

## Galvanised Bucket

Heavy duty bucket.



Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/ Finish
GB07	1	7	230	250	170	■ Galvanised
GB13	1	13	265	230	315	■ Galvanised

## Tuff Tub

With two rope handles.  
Ideal for the transportation of equipment & waste materials.



Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour/ Finish
TT69L	6	69	425	440	545	■ Black

## Heavy Duty Dustbin

UV stabilised.  
Conforms to BS4998.



Product Code	Pack Size	Capacity (litres)	Height (mm)	Dia. (mm)	Total Width (mm)	Colour/ Finish
BM199	1	90	700	500	650	■ Black
BM199/BL	1	90	700	500	650	■ Blue
BM199/G	1	90	700	500	650	■ Green
BM199/P	1	90	700	500	650	■ Purple
BM199/R	1	90	700	500	650	■ Red
BM199/Y	1	90	700	500	650	■ Yellow

# RHINO GARDENING RANGE





## Rhino Water Butt 100L & 200L



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
WB100/KIT	1 x 100L kit Consists of 100L drum, base, lid, tap & diverter	W489, D489, H1125	■ Green & black
WB200/KIT	1 x 200L kit Consists of 200L drum, base, lid, tap & diverter	W595, D595, H1295	■ Green & black

## Rhino Easi-Can 10L



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
WC10	5	W600, D150, H350	■ Black
WC10/G	5	W600, D150, H350	■ Green
WC10/R	5	W600, D150, H350	■ Red

## Standard Garden Hose



Product Code	Pack Size	Dimensions (m)	Colour/Finish
BM116	1	15	■ Green
BM117	1	30	■ Green

## Tap Connector & Adaptor



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
602SNCP	10	To fit most kitchen taps	■ Green
607SNCP	10	To fit all outside taps 19 (3/4") & 13 (1/2") connector	■ Green

## Hose Connector



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
605SNCP	10	To fit 13 (1/2") hose	■ Green

# HARDWARE

Flambeau Zerust® prevents rust and corrosion by creating a vapour shield around valuable items stored in your toolbox or Tuff Tainer®. Moulded into the polymer, Zerust® is odourless, non-toxic, maintenance free and remains active for up to 5 years.



## Toolbox with Zerust®

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
TB19	4	L490, W230, H230	<ul style="list-style-type: none"> <li>■ Black lid</li> <li>■ Black body</li> </ul>
TB22	2	L550, W310, H255	<ul style="list-style-type: none"> <li>■ Black lid</li> <li>■ Black body</li> </ul>
TB26	2	L655, W310, H266	<ul style="list-style-type: none"> <li>■ Black lid</li> <li>■ Black body</li> </ul>



## Funnel

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM214	10	100	<input type="checkbox"/> Clear
BM216	10	150	<input type="checkbox"/> Clear
BM218	10	200	<input type="checkbox"/> Clear



## Luggage Elastics

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM164	10	457	 Multi (blue, green, red)
BM168	10	610	 Multi (blue, green, red)
BM170	10	762	 Multi (blue, green, red)
BM172	10	914	 Multi (blue, green, red)



## 'Sealtite' Roofing Washers

UV stable.

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM20/1	100	6.5	■ Black polythene
BM20/2	100	8	■ Black polythene



## 'Sealtite' Roofing Washers

UV stable.  
Internal boss minimises splitting when tightened.

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM70/1	100	6.5	■ Black polythene
BM70/2	100	8	■ Black polythene



## Plumbing Mat

Patent No. 2129368

<b>Product Code</b> BM201	<b>Pack Size</b> 1	<b>Dimensions (mm)</b> 305 x 250 (12 x 10")	<b>Colour/Finish</b> ■ Black
------------------------------	-----------------------	--	---------------------------------



## Tuff Tainer® 3003

3 partitions with 9 Zerust® dividers.  
Integrated latches.

<b>Product Code</b> 3003	<b>Pack Size</b> 12	<b>Dimensions (mm)</b> L241, W178, H32	<b>Colour/Finish</b> <input type="checkbox"/> Clear container (blue dividers)
-----------------------------	------------------------	---	---



## Tuff Tainer® 3009

3 partitions with 9 Zerust® dividers.

<b>Product Code</b> 3009	<b>Pack Size</b> 6	<b>Dimensions (mm)</b> L305, W114, H38	<b>Colour/Finish</b> <input type="checkbox"/> Clear container (blue dividers & latches)
-----------------------------	-----------------------	---	---



## Tuff Tainer® 4004

4 partitions with 9 Zerust® dividers.

<b>Product Code</b> 4004	<b>Pack Size</b> 6	<b>Dimensions (mm)</b> L279, W184, H44	<b>Colour/Finish</b> <input type="checkbox"/> Clear container (blue dividers & latches)
-----------------------------	-----------------------	---	---



## Tuff Tainer® 4007

6 partitions with 10 Zerust® dividers.  
High value removable latches.

<b>Product Code</b> 4007	<b>Pack Size</b> 6	<b>Dimensions (mm)</b> L279, W184, H44	<b>Colour/Finish</b> <input type="checkbox"/> Clear container (blue dividers & latches)
-----------------------------	-----------------------	---	---



## Tuff Tainer® 5003

3 partitions with 12 Zerust® dividers.  
High value removable latches.

<b>Product Code</b> 5003	<b>Pack Size</b> 6	<b>Dimensions (mm)</b> L362, W232, H50	<b>Colour/Finish</b> <input type="checkbox"/> Clear container (blue dividers & latches)
-----------------------------	-----------------------	---	---



## Tuff Tainer® 5007

4 partitions with 15 Zerust® dividers.  
High value removable latches.

<b>Product Code</b> 5007	<b>Pack Size</b> 6	<b>Dimensions (mm)</b> L362, W232, H50	<b>Colour/Finish</b> <input type="checkbox"/> Clear container (blue dividers & latches)
-----------------------------	-----------------------	---	---



## Mixing Tray

Product Code	Pack Size		Dimensions (mm)	Colour/Finish
BM194	1		900 dia.	■ Black



## Plasterers' Mixing Bucket

Product Code	Pack Size	Capacity (litres)	Dimensions (mm)	Colour/Finish
BM195	1	30	H470 Base dia. 260 Lip dia. 340	■ Natural



## Plasterers' Bath

Product Code	Pack Size	Capacity (litres)	Dimensions (mm)	Colour/Finish
BM197	1	165	L1230, W620, H330	■ Natural




## Plasterers' Hawk

Product Code	Pack Size		Dimensions (mm)	Colour/Finish
BM82/1	5		330 x 330	■ Natural foam



## Plasterers' Float

Product Code	Pack Size		Dimensions (mm)	Colour/Finish
BM83/1/1	10		365 x 152	■ Natural foam
BM83/2/1	10		297 x 108	■ Natural foam



## Sponge Faced Plasterers' Float

Product Code	Pack Size		Dimensions (mm)	Colour/Finish
BM83/SF	10		385 x 115	<input type="checkbox"/> Natural foam



## Paint Kettle

Product Code	Pack Size	Capacity (litres)	Dimensions (mm)	Colour/Finish
PK1L	20	1	H110 Dia. 145	<input type="checkbox"/> White
PK2L	20	2.5	H138 Dia. 195	<input type="checkbox"/> White
PK5L	20	5	H190 Dia. 225	<input type="checkbox"/> White



## Nail-On Pipe Clips



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM13/1	100	7-10	White
BM13/2	100	10-14	White
BM13/3	100	15	White
BM13/4	100	22	White

## Snap-On Pipe Clips

Single centre screw fitting.



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM33/1	100	15	White
BM33/2	100	22	White
BM33/3	100	28	White
BM33/4	50	15	White
BM33/6	50	22	White

## Hinged Pipe Clips

Single centre screw fitting.  
Clips in place with finger pressure.



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM71/1	100	15	White
BM71/2	100	22	White
BM71/3	50	28	White
BM71/4	100	15	White
BM71/6	100	22	White

## Cistern Float



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM200	100	114 (4½") dia. 8 (5/16") insert	Orange

## Slimline Cistern Float

4½" dia. ball equivalent.



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM112	10	89 (3½") dia. 140 (5½") long 8 (5/16") insert	Blue

## Cistern Float

For hot or cold water.



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM97/1	10	152 (6") dia. 8 (5/16") insert	<span style="color: orange;">■</span> Orange

## Bottle Trap 76mm Seal



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM715	5	32	<span style="color: white;">■</span> White

## Low Level Bath & Shower Trap 20mm Seal



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM144	5	40	<span style="color: white;">■</span> White

## Swivel 'S' Trap 38mm Seal



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM154	5	40	<span style="color: white;">■</span> White

## Washing M/C 76mm Seal



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM159	5	40	<span style="color: white;">■</span> White

## Appliance Half Trap 76mm Seal



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM705	5	40	<span style="color: white;">■</span> White

## Flexible Waste Pipe



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM667	10	32 (1¼") Extends from 290 - 800	■ White
BM668	10	38 (1½") Extends from 290 - 800	■ White

## Flexible Pan Connector



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM669	1	102 (4") Extends from 230 - 800	■ White

## Fast-Fix Pan Connectors



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM671 (90° bend with spigot)	10	165 (6½") length	■ White
BM673 (straight extension)	10	260 (10¼") length	■ White
BM674 (offset straight connector)	10	110 (4½") length	■ White
BM100 (internal flush pipe connector)	50	25 (1") length	■ White

## Sink, Tap & Bath Overflow Stoppers



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM59/1/C	25	15 (½")	▣ Chrome plated ABS
BM59/2	25	15 (½")	■ White plastic
BM66/1/C	25	22 (¾")	▣ Chrome plated ABS
BM36	50	15 (½")	■ Black plastic

## Air Admittance Valves (BSEN 12380)

For internal use.  
BBA approved.



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM679	1	110	■ Grey
BM679/B	1	110	■ Black



## Universal Flush Pipe Connector

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM57/2	50	For 32 (1¼") and 38 (1½") flushpipes	<input type="checkbox"/> White
BM28/2	50	For 32 (1¼") flushpipes	<input type="checkbox"/> White

## Flush Pipes



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM682	10	355 x 229 (14 x 9")	<input type="checkbox"/> White
BM684	10	457 x 457 (18 x 18")	<input type="checkbox"/> White



## Cistern Pull

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM58	10	560 chain (22")	<input checked="" type="checkbox"/> Chrome plated chain <input type="checkbox"/> Grey handle

## Large Industrial Sink Plunger



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM506	5	Cup 125 (5") Handle 250 (10")	<input checked="" type="checkbox"/> Black & white
BM508	5	Cup 100 (4") Handle 340 (14")	<input checked="" type="checkbox"/> Black & white



## Square Gully Grid

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM44/1	50	150 x 150 (6 x 6")	<input checked="" type="checkbox"/> Black



## Round Gully Grid

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM76/2	25	150 (6") dia.	<input checked="" type="checkbox"/> Black
BM76/3	25	178 (7") dia.	<input checked="" type="checkbox"/> Black



## Drain Cover


Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM46	12	300 x 300	■ Black



## Balloon Guards

Non-corrosive.

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM38/1	50	63 (2½")	■ Black
BM38/7	50	100 (4")	■ Black



## Sealing Plate & Frame

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM81/1	10	150 x 150 (6 x 6")	■ Black plate & frame □ White PVC seal



## Drain Testing Plug

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM85/1	1	100 X 15 (4 x 1/2")	□ White
BM85/2	1	150 X 15 (6 x 1/2")	□ White



## Drain Rod Pack

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM520	1 (10 rods per pack)	915 x 22 (3' x ¾")	■ Black rods, brass joints



## Drain Rod Advanced Pack

Includes 4" nylon plunger & steel wormscrew.

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM527	1 (10 rods per pack)	915 x 22 (3' x ¾")	■ Black rods, brass joints

## VENTILATION

### Black Hole Ventilation Kits

BM418/B.....	5
BM418/HR/B.....	5
BM418/HR/W.....	5
BM418/T.....	5
BM418/W.....	5
BM700/B.....	5
BM700/R.....	5
BM700/S.....	5
BM701/B.....	6
BM701/R.....	6
BM701/S.....	6
BM701/T.....	6
BM720/R.....	6
BM720/S.....	6
BM720/T.....	6
BM725/B.....	5
BM725/T.....	5
BM725/W.....	5

### Core Drill Kits

BM401/W.....	6
BM414/B.....	7
BM414/W.....	7
BM415/B.....	7
BM415/CA/B.....	7
BM415/CA/W.....	7
BM415/W.....	7
BM416.....	7
BM417/W.....	6
BM436.....	7

### Airbrick Kits

BM420/T/B.....	8
BM420/T/T.....	8
BM420/1/T/T.....	8
BM430/B.....	8
BM430/BB.....	8
BM430/S.....	8
BM430/T.....	8
BM432/B.....	8
BM432/R.....	8
BM444/B.....	8
BM444/T.....	8

### Trickle Ventilators

BM411/BR.....	9
BM411/W.....	9

### Cavity Liners & Extension Tubes

BM84.....	9
BM433.....	9
BM801.....	9
BM810.....	9
BM811/W.....	9

### Hit & Miss Ventilators

BM331.....	10
BM332.....	10
BM333.....	10
BM351.....	10
BM352.....	10
BM353.....	10
BM473.....	10
BM476.....	10
BM479.....	10

### Louvre Ventilators

BM72/1.....	11
BM72/2/F.....	11
BM72/TO.....	11
BM339/B.....	12
BM341.....	12
BM342.....	12
BM343.....	12
BM344.....	12
BM346.....	12
BM361.....	12
BM362.....	12
BM363.....	12
BM364.....	12
BM365.....	12
BM370.....	11
BM421/W.....	10
BM449/B.....	12
BM449/BK.....	12
BM449/W.....	12
BM450/B.....	13
BM450/BK.....	13
BM450/F/B.....	13
BM450/F/BK.....	13
BM450/F/W.....	13
BM450/W.....	13
BM463.....	10
BM463/F.....	11
BM466.....	10
BM466/F.....	11
BM469.....	10
BM469/F.....	11
BM885/B.....	11
BM885/BK.....	11
BM885/W.....	11

### Face Fitting Ventilators

BM73.....	13
BM367.....	13
BM367/W.....	13
BM368.....	13
BM368/W.....	13
BM369.....	13
BM369/W.....	13
BM461/W.....	13

### Flush Fitting Ventilators

BM460/B.....	14
BM460/W.....	14
BM462/W.....	14

### External Cowls

BM419/B.....	15
BM419/HR/B.....	14
BM419/HR/W.....	14
BM419/T.....	15
BM419/W.....	15
BM422/B.....	15
BM422/T.....	15
BM424/B.....	14
BM424/W.....	14
BM429/B.....	15
BM432/C/B.....	15
BM432/C/R.....	15
BM447/B.....	14
BM447/R.....	14
BM447/S.....	14
BM457/B.....	15
BM457/W.....	15

### Airbricks

BM413/B.....	16
BM413/G.....	16
BM413/S.....	16
BM413/T.....	16
BM481/T.....	16
BM483/B.....	16
BM483/BB.....	16
BM483/S.....	16
BM483/T.....	16
BM486/B.....	16
BM486/BB.....	16
BM486/R.....	16
BM486/S.....	16
BM486/T.....	16
BM487/B.....	16

### Through Floor Ventilators

BM435.....	17
BM435/C.....	17

### Mini Ventilators

BM409/W.....	17
--------------	----

### Soffit Ventilators

BM406/B.....	17
BM406/W.....	17
BM407/B.....	17
BM407/W.....	17

**Ducting**

BM801.....	19
BM809.....	19
BM810.....	19
BM811/W.....	19
BM813.....	19
BM814.....	19
BM830.....	18
BM832.....	18
BM841.....	18
BM972/W.....	19
BM973/W.....	19
BM974/W.....	20
BM976/W.....	20
BM978/W.....	20
BM979/W.....	20
BM991.....	19
BM992.....	19
BM993.....	19

**RHINO FLEXI TUBS, BUCKETS & BINS**
**Rhino Flexi Tubs**

BM5/12.....	22
BM5/12/G.....	22
BM5/12/LB.....	22
BM5/12/P.....	22
BM5/12/PK.....	22
BM5/12/R.....	22
BM5/12/Y.....	22
BM5/26.....	22
BM5/26/G.....	22
BM5/26/LB.....	22
BM5/26/P.....	22
BM5/26/PK.....	22
BM5/26/R.....	22
BM5/26/Y.....	22
BM5/40.....	22
BM5/40/G.....	22
BM5/40/LB.....	22
BM5/40/P.....	22
BM5/40/PK.....	22
BM5/40/R.....	22
BM5/40/Y.....	22
BM5/75.....	22
BM5/75/G.....	22
BM5/75/LB.....	22
BM5/75/R.....	22
BM5/75/Y.....	22

**Buckets**

BB2.....	23
BB3/G.....	23
BB3/LB.....	23
BB3/P.....	23
BB3/PK.....	23
BB3/R.....	23
BB3/Y.....	23
BB4.....	23
BB5.....	23
BB6.....	23
BM7/B.....	23
BM7/G.....	23

BM7/R.....	23
BM8.....	24
BM8/G.....	24
BM8/LB.....	24
BM8/P.....	24
BM8/PK.....	24
BM8/R.....	24
BM8/Y.....	24
BM10/B.....	24
BM10/G.....	24
GB07.....	24
GB13.....	24
TT69L.....	24

**Bins**

BM199.....	24
BM199/BL.....	24
BM199/G.....	24
BM199/P.....	24
BM199/R.....	24
BM199/Y.....	24

**GARDENING**

BM116.....	26
BM117.....	26
WB100/KIT.....	26
WB200/KIT.....	26
WC10.....	26
WC10/G.....	26
WC10/R.....	26
602SNCP.....	26
605SNCP.....	26
607SNCP.....	26

**HARDWARE**

BM20/1.....	27
BM20/2.....	27
BM70/1.....	27
BM70/2.....	27
BM164.....	27
BM168.....	27
BM170.....	27
BM172.....	27
BM201.....	28
BM214.....	27
BM216.....	27
BM218.....	27
TB19.....	27
TB22.....	27
TB26.....	27
3003.....	28
3009.....	28
4004.....	28
4007.....	28
5003.....	29
5007.....	29

**PLASTERING & DECORATION**

BM82/1.....	30
BM83/1/1.....	30
BM83/2/1.....	30

BM83/SF.....	31
BM194.....	30
BM195.....	30
BM197.....	30
PK1L.....	31
PK2L.....	31
PK5L.....	31

**PLUMBING & DRAINAGE**

BM13/1.....	32
BM13/2.....	32
BM13/3.....	32
BM13/4.....	32
BM28/2.....	35
BM33/1.....	32
BM33/2.....	32
BM33/3.....	32
BM33/4.....	32
BM33/6.....	32
BM36.....	34
BM38/1.....	36
BM38/7.....	36
BM44/1.....	35
BM46.....	36
BM57/2.....	35
BM58.....	35
BM59/1/C.....	34
BM59/2.....	34
BM66/1/C.....	34
BM71/1.....	32
BM71/2.....	32
BM71/3.....	32
BM71/4.....	32
BM71/6.....	32
BM76/2.....	35
BM76/3.....	35
BM81/1.....	36
BM85/1.....	36
BM85/2.....	36
BM97/1.....	33
BM100.....	34
BM112.....	32
BM144.....	33
BM154.....	33
BM159.....	33
BM200.....	32
BM506.....	35
BM508.....	35
BM520.....	36
BM527.....	36
BM667.....	34
BM668.....	34
BM669.....	34
BM671.....	34
BM673.....	34
BM674.....	34
BM679.....	34
BM679/B.....	34
BM682.....	35
BM684.....	35
BM705.....	33
BM715.....	33

Flambeau Europlast Ltd.  
Manston Road  
Ramsgate  
Kent  
CT12 6HW  
UK

T: 01843 854002  
E: [stadium@flambeau.com](mailto:stadium@flambeau.com)

[www.stadiumbuildingproducts.com](http://www.stadiumbuildingproducts.com)